


Ficha técnica


LED STRIP




Nombre	NEON 360 DIGITAL
Referencia	LINEON360DIGI3
Potencia	18W/m
Descripción	TIRA LED NEON 360 25mm 18W 12V IP65
Aplicaciones	Iluminación exterior/interior decorativa




Referencia	LINEON360DIGI3
Flujo Luminoso	285lm
Eficiencia	16lm/W
Temp. Color	DIGITAL
Tipo de diodo	SMD3838
Ángulo de apertura	360°
Consumo	18W/m
Tensión	12Vdc
Nº LEDs/metro	180
CRI	>90
Ind. de Protección	IP 65
Temp. de trabajo	-20°C ~ +45°C
Vida útil	25.000h
Mant. flujo luminoso	L70 B50
Regulable	Si
Driver incluido	No
Adhesivo	-
Corte cada	11.11mm
Ancho	25mm
Grosor	25mm
Longitud total	3m



It is forbidden to wrap objects less than 120mm



NO stretching



No trampling

LUXLIGHT se reserva el derecho de modificar las especificaciones

⚠ ADVERTENCIAS
- La instalación la debe hacer personal cualificado.
- 16 horas de funcionamiento continuo.
- No encienda la tira hasta que esté completamente instalada.
- No doblar en un diámetro inferior a 6cm.
- No ejerza excesiva fuerza en la superficie de la tira.



NEON 360

*Accesorios / Accessories



Ref.	Des.
LINEON360GRAPA	Set grapa Neón 360 25 mm [1u.] <i>Mounting bracket</i>



Ref.	Des.
LINEON360GRAPA1	Set grapa Neón 360 1.000 mm [1u.] <i>Mounting bracket</i>



Ref.	Des.
LINEON360CLIP	Set clip invisible Neón 360 [2u.] <i>Mounting bracket</i>



Ref.	Des.
LINEON360SD1	Set de suspensión directa vertical max. 1 m plata <i>Suspension kit with 1 m</i>



Ref.	Des.
LINEON360SD12	Set de suspensión directa vertical max. 1 m negro <i>Suspension kit with 1 m</i>



Ref.	Des.
LINEON360SD2	Set de suspensión directa vertical max. 2,5 m plata <i>Suspension kit with 2,5 m</i>



Ref.	Des.
LINEON360SD22	Set de suspensión directa vertical max. 2,5 m negro <i>Suspension kit with 2,5 m</i>



Ref.	Des.
LINEON360SDD	Set de suspensión directa doble plata <i>Suspension kit</i>



Ref.	Des.
LINEON360SDD2	Set de suspensión directa doble negro <i>Suspension kit</i>



Ref.	Des.
LINEON360SC1	Set de suspensión cable vertical max. 1 m plata cable 2 m <i>Suspension kit with 1 m cable</i>



Ref.	Des.
LINEON360SC12	Set de suspensión cable vertical max. 1 m negro cable 2 m <i>Suspension kit with 1 m cable</i>



Ref.	Des.
LINEON360SC2	Set de suspensión cable vertical max. 2,5 m plata cable 2 m <i>Suspension kit with 2,5 m cable</i>



Ref.	Des.
LINEON360SC22	Set de suspensión cable vertical max. 2,5 m negro cable 2 m <i>Suspension kit with 2,5 m cable</i>



Ref.	Des.
LINEON360SCS12	Set [2u.] tubo PVC 38 mm <i>PVC pipe</i>

* Añadir LISUSP07 o LISUSP02 [2u.]



Ref.	Des.
LINEON360SCS22	Tubo PVC 1.000 mm para luminaria horizontal recta <i>PVC pipe 1 m</i>

* Añadir LISUSP07 o LISUSP02 [u.]



Ref.	Des.
LINEON360SCS32	Tubo PVC 2.500 mm para luminaria horizontal recta <i>PVC pipe 2,5 m</i>

* Añadir LISUSP07 o LISUSP02 [4u.]



*Accesorios / Accessories



Ref.	Des.
LINEON360SR	Set de suspensión rígida extensible 2 m negro + tubo PVC 38 mm [1u.] <i>Rigid suspension set 2 m</i>



Ref.	Des.
LISUSP07	Kit de suspensión plata con 5 m cable <i>Silver suspension kit</i>

LISUSP02	Kit de suspensión negra con 5 m cable <i>Black suspension kit</i>
----------	---



Ref.	Des.
LINEON360C2	Set de suspensión para luminaria vertical o horizontal circular negro <i>Black interconnector</i>



Ref.	Des.
LINEON360C	Set de suspensión para luminaria vertical o horizontal circular plata <i>White interconnector</i>



Ref.	Des.
LINEON360ENDCAPSR	Tapón entrada recta + Endcap <i>Endcap</i>



Ref.	Des.
LINEON360ENDCAPSL	Tapón entrada lateral + Endcap <i>Endcap</i>




LINEON360GRAPA



LINEON360GRAPA1



LINEON360CLIP



LINEON360SC1
LINEON360SC12
LINEON360SC2
LINEON360SC22




LINEON360SDD
LINEON360SDD2




LINEON360SCS12




LINEON360SD1
LINEON360SD12
LINEON360SD2
LINEON360SD22



LINEON360SCS22
LINEON360SCS32



LINEON360SR



LINEON360C2+
LINEON360SCS12+
LISUSP02
LINEON360C+
LINEON360SCS12+
LISUSP07



LINEON360C2
LINEON360C